

Please type a plus sign (+) inside this box [+]

PTO/SB/05 (12/97)

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 003838.P001

Total Pages 5

First Named Inventor or Application Identifier Mark Gainey

Express Mail Label No. EL164802104US

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, D. C. 20231

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. X Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. x Specification (Total Pages 35)
(preferred arrangement set forth below)
 - Descriptive Title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claims
 - Abstract of the Disclosure
3. x Drawings(s) (35 USC 113) (Total Sheets 11)
4. Oath or Declaration (Total Pages)
 - a. Newly Executed (Original or Copy)
 - b. Copy from a Prior Application (37 CFR 1.63(d))
(for Continuation/Divisional with Box 17 completed) (**Note Box 5 below**)
 - i. **DELETIONS OF INVENTOR(S)** Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5. Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. Microfiche Computer Program (Appendix)

7. _____ Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
a. _____ Computer Readable Copy
b. _____ Paper Copy (identical to computer copy)
c. _____ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. _____ Assignment Papers (cover sheet & documents(s))
9. _____ a. 37 CFR 3.73(b) Statement (where there is an assignee)
_____ b. Power of Attorney
10. _____ English Translation Document (if applicable)
11. _____ a. Information Disclosure Statement (IDS)/PTO-1449
_____ b. Copies of IDS Citations
12. _____ Preliminary Amendment
13. X Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. _____ a. Small Entity Statement(s)
_____ b. Statement filed in prior application, Status still proper and desired
15. _____ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. X Other: Express mail Certificate; Unsigned Declaration & Power of Attorney

17. **If a CONTINUING APPLICATION**, check appropriate box and supply the requisite information:
____ Continuation ____ Divisional ____ Continuation-in-part (CIP)
of prior application No: _____

18. **Correspondence Address**

____ Customer Number or Bar Code Label _____
(Insert Customer No. or Attach Bar Code Label here)
or

X Correspondence Address Below

NAME Dag H. Johansen (Reg. No. 36,172)
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

ADDRESS 12400 Wilshire Boulevard
Seventh Floor

CITY Los Angeles STATE California ZIP CODE 90025-1026

Country U.S.A. TELEPHONE (408) 720-8598 FAX (408) 720-9397

12/01/97

- 2 -

PTO/SB/05 (12/97)

Approved for use through 09/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

FEE TRANSMITTAL**TOTAL AMOUNT OF PAYMENT (\$)** 790.00

Complete if Known:

Application No. _____

Filing Date _____

First Named Inventor Mark Gainey

Group Art Unit _____

Examiner Name _____

Attorney Docket No. 003838.P001**METHOD OF PAYMENT** (check one)

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number 02-2666

Deposit Account Name _____

- ☒ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17

- ☐ Charge the Issue Fee Set in 37 CFR 1.18 at the Mailing of the Notice of Allowance, 37 CFR 1.131(b)

2. ☒ Payment Enclosed
☒ Check
☐ Money Order
☐ Other

FEE CALCULATION (fees effective 10/01/97)**1. FILING FEE**

| <u>Large Entity</u> | | <u>Small Entity</u> | | <u>Fee Description</u> | <u>Fee Paid</u> |
|---------------------|-----------------|---------------------|-----------------|------------------------------------|-----------------|
| <u>Fee Code</u> | <u>Fee (\$)</u> | <u>Fee Code</u> | <u>Fee (\$)</u> | | |
| 101 | 790 | 201 | 395 | Utility application filing fee | <u>790.00</u> |
| 106 | 330 | 206 | 165 | Design application filing fee | _____ |
| 107 | 540 | 207 | 270 | Plant filing fee | _____ |
| 108 | 790 | 208 | 395 | Reissue filing fee | _____ |
| 114 | 150 | 214 | 75 | Provisional application filing fee | _____ |
| SUBTOTAL (1) | | | | | \$790.00 |

2. CLAIMS

| | | | <u>Extra</u> | | <u>Fee from below</u> | | <u>Fee Paid</u> |
|----------------------------------|-----------|--------|--------------|---|-----------------------|---|-----------------|
| Total Claims | <u>11</u> | - 20 = | <u>0</u> | X | <u>22.00</u> | = | _____ |
| Independent Claims | <u>2</u> | - 3 = | <u>0</u> | X | <u>82.00</u> | = | _____ |
| Multiple Dependent Claims | | | | X | | = | _____ |

| <u>Large Entity</u> | | <u>Small Entity</u> | | <u>Fee Description</u> | <u>Fee Paid</u> |
|---------------------|-----------------|---------------------|-----------------|---|-----------------|
| <u>Fee Code</u> | <u>Fee (\$)</u> | <u>Fee Code</u> | <u>Fee (\$)</u> | | |
| 103 | 22 | 203 | 11 | Claims in excess of twenty | _____ |
| 102 | 82 | 202 | 41 | Independent claims in excess of 3 | _____ |
| 104 | 270 | 204 | 135 | Multiple dependent claim | _____ |
| 109 | 82 | 209 | 41 | Reissue independent claims over original patent | _____ |
| 110 | 22 | 210 | 11 | Reissue claims in excess of 20 and over original patent | _____ |
| SUBTOTAL (2) | | | | | \$0.00 |

FEE CALCULATION (continued)

3. ADDITIONAL FEES

| <u>Large Entity</u> | | <u>Small Entity</u> | | <u>Fee Description</u> | <u>Fee Paid</u> |
|---------------------------|-----------------|---------------------|-----------------|--|-----------------|
| <u>Fee Code</u> | <u>Fee (\$)</u> | <u>Fee Code</u> | <u>Fee (\$)</u> | | |
| 105 | 130 | 205 | 65 | Surcharge - late filing fee or oath | _____ |
| 127 | 50 | 227 | 25 | Surcharge - late provisional filing fee or cover sheet | _____ |
| 139 | 130 | 139 | 130 | Non-English specification | _____ |
| 147 | 2,520 | 147 | 2,520 | For filing a request for reexamination | _____ |
| 112 | 920* | 112 | 920* | Requesting publication of SIR prior to Examiner action | _____ |
| 113 | 1,840* | 113 | 1,840* | Requesting publication of SIR after Examiner action | _____ |
| 115 | 110 | 215 | 55 | Extension for response within first month | _____ |
| 116 | 400 | 216 | 200 | Extension for response within second month | _____ |
| 117 | 950 | 217 | 475 | Extension for response within third month | _____ |
| 118 | 1,510 | 218 | 755 | Extension for response within fourth month | _____ |
| 128 | 2,060 | 228 | 1,030 | Extension for response within fifth month | _____ |
| 119 | 310 | 219 | 155 | Notice of Appeal | _____ |
| 120 | 310 | 220 | 155 | Filing a brief in support of an appeal | _____ |
| 121 | 270 | 221 | 135 | Request for oral hearing | _____ |
| 138 | 1,510 | 138 | 1,510 | Petition to institute a public use proceeding | _____ |
| 140 | 110 | 240 | 55 | Petition to revive unavoidably abandoned application | _____ |
| 141 | 1,320 | 241 | 660 | Petition to revive unintentionally abandoned application | _____ |
| 142 | 1,320 | 242 | 660 | Utility issue fee (or reissue) | _____ |
| 143 | 450 | 243 | 225 | Design issue fee | _____ |
| 144 | 670 | 244 | 335 | Plant issue fee | _____ |
| 122 | 130 | 122 | 130 | Petitions to the Commissioner | _____ |
| 123 | 50 | 123 | 50 | Petitions related to provisional applications | _____ |
| 126 | 240 | 126 | 240 | Submission of Information Disclosure Stmt | _____ |
| 581 | 40 | 581 | 40 | Recording each patent assignment per property (times number of properties) | _____ |
| 146 | 790 | 246 | 395 | For filing a submission after final rejection (see 37 CFR 1.129(a)) | _____ |
| 149 | 790 | 249 | 395 | For each additional invention to be examined (see 37 CFR 1.129(a)) | _____ |
| Other fee (specify) _____ | | | | | _____ |
| Other fee (specify) _____ | | | | | _____ |

SUBTOTAL (3) \$0.00

*Reduced by Basic Filing Fee Paid

SUBMITTED BY:

Typed or Printed Name: Dag H. Johansen

Signature 

Date 11/17/98

Reg. Number 36,172

Deposit Account User ID 02-2666

(complete if applicable)

EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number: E164802104US

Date of Deposit: 11/17/98

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service "Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has been addressed to the Assistant Commissioner for Patents, Washington, D. C. 20231

GRACE R GRUZ
(Typed or printed name of person mailing paper or fee)

[Signature]
(Signature of person mailing paper or fee)

11/17/98
(Date signed)

Serial/Patent No.: _____ Filing/Issue Date: _____
Client: KANA COMMUNICATIONS
Title: METHOD AND APPARATUS FOR PERFORMING ENTERPRISE EMAIL MANAGEMENT
BSTZ File No.: 003838.P001 Atty/Secty Initials: DHJ/grc
Date Mailed: 11/17/98 Docket Due Date: _____

The following has been received in the U.S. Patent & Trademark Office on the date stamped hereon:

- ☐ Amendment/Response (____ pgs.)
- ☐ Appeal Brief (____ pgs.) (in triplicate)
- ☒ Application - Utility (35 pgs., with cover and abstract)
- ☐ Application - Rule 1.53(b) Continuation (____ pgs.)
- ☐ Application - Rule 1.53(b) Divisional (____ pgs.)
- ☐ Application - Rule 1.53(b) CIP (____ pgs.)
- ☐ Application - Rule 1.53(d) CPA Transmittal (____ pgs.)
- ☐ Application - Design (____ pgs.)
- ☐ Application - PCT (____ pgs.)
- ☐ Application - Provisional (____ pgs.)
- ☐ Assignment and Cover Sheet
- ☒ Certificate of Mailing
- ☒ Declaration & POA (5 pgs.) (Undigned)
- ☐ Disclosure Docs & Orig & Copy of Inventor's Signed Letter (____ pgs.)
- ☒ Drawings: 11 # of sheets includes 11 figures

- ☒ Express Mail No.: E164802104US ☒ Check No. 25293
- ☐ _____ Month(s) Extension of Time Amt: 770
- ☐ Information Disclosure Statement & PTO-1449 (____ pgs.) ☐ Check No. _____
- ☐ Issue Fee Transmittal Amt: _____
- ☐ Notice of Appeal
- ☐ Petition for Extension of Time
- ☐ Petition for _____
- ☒ Postcard
- ☐ Power of Attorney (____ pgs.)
- ☐ Preliminary Amendment (____ pgs.)
- ☐ Reply Brief (____ pgs.)
- ☐ Response to Notice of Missing Parts
- ☐ Small Entity Declaration for Indep. Inventor/Small Business
- ☒ Transmittal Letter, in duplicate
- ☒ Fee Transmittal, in duplicate

☐ Other: _____

APPLICATION FOR UNITED STATES LETTERS PATENT

FOR

**Method and Apparatus for Performing
Enterprise Email Management**

Inventors: Mark Gaaney,
Alex Broquet,
Michael Horvath,

Prepared by:
Blakely, Sokoloff, Taylor & Zafman
1279 Oakmead Parkway
Sunnyvale, California 94086
(408) 720-8598

"Express Mail" mailing label number EL164802104US
Date of Deposit 11/17/98

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

GRACE R. CENZ
(Typed or printed name of person mailing paper or fee)

[Signature]
(Signature of person mailing paper or fee)

Method and Apparatus for Performing Enterprise Email Management

FIELD OF THE INVENTION

5

The present invention relates to the field of computer email communication. In particular the present invention discloses an enterprise email management system that streamlines the handling of large volumes of incoming email messages.

10

BACKGROUND OF THE INVENTION

15

Large corporations typically maintain telecommunication calling centers that contain a large number of customer service representatives. Each customer service representative is seated at telephone workstation that usually includes a telephone and a computer system for accessing customer information. The customer service representatives respond to calls from customers regarding new orders, product support, and other customer questions.

20

Internet email has evolved into a new standard communication medium in the late 20th century. More and more customers are now using email messages to communicate questions, complaints, and requests to the corporations that the customers purchase products and services from. Therefore, the volume of incoming email from customers has increased dramatically at many corporations. In order to handle the large

volume of incoming email messages, it would be desirable to have a set of software tools that simplify the task of responding to large volumes of email from customers.

SUMMARY OF THE INVENTION

An enterprise email management system is disclosed. The enterprise mail system is designed to quickly and efficiently handle large volumes of email that is

5 responded to by enterprise email system users. The enterprise email system processes incoming email using a set of configurable rules that examine each message for a specific attribute state condition and invoke a configurable action when the attribute satisfies the condition. A number of actions may be invoked such as mailing list additions/deletions, routing to specific mail queue, routing to a specific enterprise mail system user,
10 forwarding to an outside user, categorizing the message, and removing the message.

Once a message has been placed into a mail queue, a set of timers ensure that the message is handled in a timely manner. The enterprise email system assigns a mail queue timer when a message is moved into a mail queue. Each mail queue has a
15 different mail queue timeout value that specifies the maximum amount of time that message may sit idle within a mail queue. The enterprise email system may automatically move a message from a mail queue into a mailbox of an enterprise email system user that subscribed to the mail queue. When the enterprise email system moves a message into the mailbox of an enterprise email system user, the enterprise email system assigns a
20 mailbox timer to the message. The mailbox timer is compared with a mailbox timeout value that specifies the amount of time that message may sit idle within a mailbox. If the mailbox timer expires, the message is returned to the mail queue from where the message came. If the mail queue timer expires, then the message is routed to another mail queue or enterprise email user. Furthermore, additional actions may be invoked if the mail
25 queue timer expires.

2025 RELEASE UNDER E.O. 14176

Enterprise email system users subscribe to variable mail queues. When an enterprise email system user logs into the system, the enterprise email system delivers a set of messages from the mail queues that the user subscribes to into the enterprise email system user's mailbox. The user responds to the messages. To aid the user, the enterprise email system may create a template response message including a proposed message body, a set of attachments, and a set of recipients that should receive a copy of the response message.

10 Other objects, features, and advantages of present invention will be apparent from the company drawings and from the following detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

The objects, features and advantages of the present invention will be apparent to one skilled in the art, in view of the following detailed description in which:

5

Figure 1 illustrates an overall block diagram of an enterprise email management system built according to the teachings of the present invention.

Figure 2A illustrates a screen display of a graphical user interface for entering a mail receiver rule.

10

Figure 2B illustrates a screen display of a graphical user interface for entering a category.

Figure 3 illustrates a graphical user interface for configuring the email message queue parameters.

15

Figure 4 illustrates a flow diagram describing a set of steps for routing messages among the queues and user mailboxes within the Email Queuing and Mailbox System.

20

Figure 5 illustrates one embodiment of a graphical user interface for entering and modifying enterprise email system user parameters.

25

Figure 6 illustrates the main enterprise email user display screen.

Figure 7 illustrates a dialog box for entering an address of a recipient when routing, collaborating, forward & tracking, or redirecting a message.

5 **Figure 8** illustrates a graphical user interface for creating a response message for an incoming message.

Figure 9 illustrates a conceptual diagram that defines how the forward and track feature operates.

10

Figure 10 illustrates a conceptual diagram that defines how the collaborate feature operates.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A method and apparatus for handling enterprise email is disclosed. In the following description, for purposes of explanation, specific nomenclature is set forth to provide a thorough understanding of the present invention. However, it will be apparent to one skilled in the art that these specific details are not required in order to practice the present invention. For example, the present invention has been described with reference to the SMTP mail protocol and an SQL database. However, the same techniques can easily be applied to other types of mail protocols and other types of databases.

An Enterprise Email Management System

Figure 1 illustrates an overall block diagram of one embodiment of an enterprise mail system constructed using the teachings of the present invention.

Referring to **Figure 1**, the enterprise mail system receives incoming email from the Internet **101** into an incoming email server **110**. The incoming email server **110** may be any type of email server that is capable of receiving incoming mail and routing the received email. In a preferred embodiment, the incoming email server **110** is a Simple Mail Transport Protocol (SMTP) based email server such as the common UNIX Sendmail program.

The incoming email server **110** examines the headers of the incoming email to determine where the incoming email should be routed. In some environments, both enterprise email and private email will be received. The incoming email server **110** can be configured to deliver private email to an email server **115** that will not be processed by the enterprise email system **100** of the present invention. All email that is to be processed by the enterprise email system **100** is routed to an incoming email receiver **120**. For example, all email directed to standard customer support email addresses such

as help@company.com, support@company.com, and info@company.com can be handled by the enterprise email management system **100**.

In an alternate embodiment, all the email directed toward an organization is sent directly to the incoming email receiver **120** from the Internet **101**. In such an embodiment, the incoming email receiver **120** can be configured to send email that does not need to be handled by the enterprise email system **100** to another mail system using a "redirect" action that will be later described.

Sorting Incoming Enterprise Email

The incoming email receiver **120** may receive email directly as illustrated in **Figure 1**. In an alternate embodiment, the incoming email receiver **120** may fetch email from a Post Office Protocol (POP) email server. For an embodiment with an incoming email receiver **120** that fetches email from a POP server, a configurable parameter may determine how often the incoming email receiver **120** checks the POP server for new email messages. Typically, the incoming email receiver **120** is set to check for new email every one to five minutes.

The incoming email receiver **120** examines each incoming email message by performing a number of tests. The initial tests determine if the incoming email message should be handled by the enterprise email system **100** and how the message will be handled.

First, the incoming email receiver **120** performs a junk email test that filters out any unsolicited commercial email (sometimes referred to as "Spam") that does not need to be responded to. Such junk email is simply discarded in order not to waste resources.

After filtering out email messages that do not need to be processed, the incoming email receiver **120** may send out an acknowledgement to the sender to inform the sender of an email message that the email message was received and will be responded to. In one embodiment, the incoming email receiver **120** may first examine an email database **130** to see if the user has previously sent any other email in a configurable time period. In one embodiment, the email database **130** is an SQL database that is accessible by many users simultaneously. For example, the Oracle7 database from Oracle Corporation of Redwood Shores, California may be used to store messages. When the same user has sent multiple messages within a predetermined time period, the incoming email receiver **120** may elect not to send acknowledgements for the later messages.

Another task performed by the incoming email receiver **120** is a search in the email database to see if the same sender has sent any other messages within a configurable time period. If the same sender has sent more than one message within the defined time period, those messages may be linked together in the message database **130**. The linked email messages will be handled together by a single enterprise mail system user. In this manner, if a sender sends in a first message asking a question and shortly thereafter sends another message saying that he found the answer to the question, a customer support person may decide to ignore the question in the original email message.

Once an email message has passed the initial screening, the incoming email receiver **120** then creates a new entry in the email database **130** for the incoming email message. The newly created incoming email entry in the email database **130** stores the received message plus other information that will be associated with the message. For example, the email database **130** will store a response email message created to respond to the incoming email message.

The incoming email receiver **120** may limit the size of incoming email messages. Specifically, the maximum number of bytes for the body of an email message,

not including attachments, is limited to a configured parameter. If the body of an incoming email message exceeds this maximum size number, the incoming email message is truncated. By truncating messages, the incoming email receiver **120** conserves storage space in the email database **130**.

5

The incoming email receiver **120** may also strip incoming attachments from incoming email messages. The incoming email receiver **120** may place the attachments from incoming email messages into a specified directory within the file system separate from the database.

10

After placing an incoming email message in the email database **130**, the incoming email receiver **120** runs the incoming email message through a set of configurable mail receiver rules that determine how the message will be processed. Each mail receiver rule defines an attribute that is examined, a pattern to be matched or value to be compared, and an action to be performed. The mail receiver rules allow incoming email messages to be handled automatically in a variety of manners including routing the email message to a particular user or message queue, discarding the email message, or forwarding the email message.

15

20

The rule processor of the present invention runs all incoming email messages through all the mail receiver rules on a first pass, checks all the criteria, and accesses all the actions of the satisfied rules. If the attributes of a message satisfy two mail receiver rules having contradictory actions, usually the first mail receiver rule takes precedence. Some mail receiver rules, however, can specify actions that have higher priority than other actions. For example, two mail receiver rule actions that take precedence include "Route to the same sender as before" and "Drop message"

25

The basic mail receiver rule format used by one embodiment of the rule processor is:

30

Attribute.Condition(Condition Value)Action(Action Value)

Wherein Attribute defines an attribute of an incoming messages such as a particular header, Condition defines a comparison condition, Condition Value defines a value that the attribute is compared with using the comparison condition, Action defines an action that should be performed, and Action Value determines a particular parameter for the Action.

Instead of having users manually entering a list of rules as a typed string of characters, the present invention provides a graphical user interface entry system that allows mail receiver rules to be created with drop-down menus and value fields. To enter a new rule, a user simply selects an Attribute, a Condition comparison, a condition value, and an action that should occur when the attribute matches the value using the condition comparison as illustrated in **Figure 2A**.

The following table sets forth one possible set of message attributes that may be examined:

| Message Attribute | Contents of the message Attribute. |
|--------------------------|---|
| subject | The subject of the message. |
| header | Any of the SMTP mail headers including "to:" field, the "from:" field, timestamps, mail server stamps, etc. |
| message body | The body of the incoming message. |
| source | The entire message source including the header and the body. |
| sender name | The name of entity that sent the incoming email message. |
| sender email address | The email address of entity that sent the incoming email message. |
| recipient name | The name of mailbox/alias that the email message was sent to. |
| recipient email address) | The email address of mailbox/alias that the email message was sent to. |

The following list describes a set of condition comparisons from one embodiment:

| Comparison Condition | Tested Attribute must . . . |
|----------------------|----------------------------------|
| contains | have the value (word or phrase). |

| | |
|-----------------------------|--|
| caseSensitiveContains | have the value exactly as entered. |
| startsWith | start with the value. |
| caseSensitiveStartsWith | start with the value exactly as entered. |
| endsWith | end with the value. |
| caseSensitiveEndsWith | end with the value exactly as entered. |
| Equals | match the value exactly. |
| isNull | be empty. |
| isNotNull | not be empty. |
| sizeLessThan | be smaller than. |
| sizeGreaterThan | be larger than. |
| doesNotContain | not have the value. |
| caseSensitiveDoesNotContain | not have the value exactly as entered. |

The Comparison Condition are used along with the Comparison Value provided in the mail receiver rule. The Comparison Value may be a string, an integer, a floating point value, or any other data type that may be compared with a message attribute.

5

The following table provides one set of possible Actions that may be invoked by the mail receiver rule processor if the condition is satisfied:

| Action | Description of the Action performed. |
|---------------|---|
| Route | Send the email message to specified enterprise mail system user or enterprise mail system queue. |
| Categorize | Assign a category to the email message. |
| NoAnswer | No response necessary; no further action is required but keep it in the email database. |
| ForwardTrack | Forward to someone outside the enterprise email system. The enterprise email system will set a timer for the forwarded message. If no action is taken by the person outside of the enterprise email system within the time specified in the timer, then the enterprise email system will forward the message to a general message handling queue. |
| Redirect | Send to an outside user with no tracking or notification. |
| opt-in | Add the sender to a mailing list. |
| optout | Remove the sender from a mailing list. |
| Acknowledge | Send an automatic pre-approved acknowledgment to the email message sender. |
| AutoRespond | Automatically send a pre-approved response message to the email message sender and do not place the message in a queue. |
| Drop | Do not route the incoming email message and remove the email message from the email database. |

The incoming email receiver **120** makes sure that no routing rule actions conflict with each other. The following list explains how the mail receiver rules are processed and the processing order.

- Action priority is determined by the rule's order in the rule list. For example, the first mail receiver rule in the mail receiver rule list has the highest priority. Some rules, however, take priority over order.
- An internal Collaborate action takes precedence over all other actions (including Drop). No other actions can be taken.
- A Drop action takes precedence over all other actions except Collaborate. If a message is dropped no additional actions can be performed. (A dropped message is completely removed from the system and is not stored.)
- Only one of the following workflow actions can be applied per message: Route, NoAnswer, ForwardTrack, Redirect, and Same Sender Route. The first such action encountered is performed. Same Sender Route is an internal action based on the multiple messages from the same sender options in incoming email receiver preferences.
- Only one Acknowledge action can be applied per message. The first Acknowledge action encountered is performed and the subsequent acknowledge actions will be ignored.
- All Categorize actions will be performed, regardless of the failure of other actions found in the rule with the Categorize action. This is important if a category is used to record the fact that an action was taken. For example, subject.contains("xyz") -> NoAnswer & categorize("no-reply").
- An OptOut action will be performed unless the message gets dropped. It doesn't override or restrict any other actions.
- An internal Same Sender Route action takes precedence over all over workflow actions such as route and forward & track.

Categorizing Email Messages

During the mail receiver rule set processing, the incoming email receiver **120** may assign one or more categories to an email message. Note that categories may also be assigned to an email message manually by an enterprise mail system, a process described later. When an email message has been assigned to a category, additional processing may be performed on the message depending on the definition of the category.

When a category is assigned to a message, the incoming email receiver **120** refers to a category database **135**. The category database **135** is conceptually similar

to a Frequency Asked Questions (FAQ) file for an organization. Specifically, each category entry in the category database **135** addresses a common problem, question, or request. For example, a software company supporting a word processing program may have category entries for "Word processor software installation", "Opening Documents",
5 "Editing Documents", and "Printing Documents".

The category database **135** is organized in a hierarchical form wherein each category may have several subcategories. For example, the "Printing Documents" category entry may have subcategory entries for "Printing Documents using a printer
10 coupled directly to the personal computer" and "Printing Documents using a printer coupled to a network." Each subcategory may have additional subcategories.

In **Figure 1**, the category database **135** is illustrated as a separate database from email database **130**. However, in an implementation, the category database **135** and
15 the email database **130** may reside in a single database with separate tables.

The following list provides one possible set of parameters that may be used to define a category entry in the category database **135**, however other parameters can easily be added:

- 20 1. Category Name - Defines a name for the category.
2. Hot Key - Provides a short-hand term for the category. The Hot Key can be used by users in order to quickly refer to the category.
3. Description - The Description provides a detailed description of what the category covers. The description allows a person manually categorizing an incoming email to
25 determine if a particular category is appropriate for the incoming email.
4. Template Text - Defines the standard body of text that will be placed into the body of an outgoing response email message.
5. Recipients - Defines a set of people that should receive a copy of any outgoing
30 response messages that were created using this category or a copy of the original incoming message. For example, an expert in certain categories may wish to be informed about all customer complaints, questions, and problems concerning certain categories. The recipients field defines a set of normal recipients (to:), a set of carbon copy (cc:) recipients, and a set of blind carbon copy (bcc:) recipients, as well as forward and track recipients, redirect recipients, and collaborate recipients.

6. Actions - Defines a set of actions that should automatically be performed on the incoming message upon categorization. Details on the Actions will be described later.
7. Attachments - Defines a set of attachments that should accompany any outgoing response email message. For example, all responses to incoming email messages concerning a known but solved problem may attach a file used to solve the problem such as patch code that solves a particular software problem.
8. Include original attachments - Specifies if attachments that accompany the incoming email message should be included in the outgoing response email message.
- 10 Keep thread ownership - Specifies if the same user that responds to a particular incoming email message should receive all subsequent responses. Placing an identifier in the subject or body field of the outgoing response email enables the mail receiver to identify any reply to the outgoing response email

To create the category database **135**, one embodiment of the present invention provides a graphical user interface for entering category information. **Figure 2** illustrates a screen display of a graphical user interface for entering a category into the category database **135**.

As defined in the category entry previously set forth, each category entry may specify a set of recipients. The recipients are divided into recipient types as set forth in the following table:

| Recipient Type | Who the recipients are and what that recipient will receive. | Information stored in the Database |
|-------------------|---|--|
| To: | Recipients that will receive the response message created. | Incoming message Outgoing message |
| cc: | Recipients that will receive a carbon copy (cc:) of the response message created. | Incoming message Outgoing message |
| bcc: | Recipients that will receive a carbon copy (cc:) of the response message created. | Incoming message Outgoing message |
| Redirect | A non enterprise email user that should receive the email message. Use when someone else should respond to the customer. | Incoming message Response action |
| Forward and Track | The incoming email message needs to be answered, but someone who is not using the enterprise email system must provide the content of the answer. The enterprise email system will set a timer for the forwarded message. If no action is taken | Incoming message Response action Message sent to the non-enterprise email responder. Reply written by the non-enterprise email responder. |

5 A typical action is to create a "skeleton" response email message that will be sent back to the sender. When an incoming email message is assigned to a particular category that specifies a "create response message" action, a "skeleton" response message is created based upon the category configuration.

10 After the incoming email receiver **120** has processed the mail receiver rules and processed assigned category actions, the incoming email receiver **120** is finished processing the incoming message. The entire enterprise email system **100** may be finished with the incoming email message if the incoming email receiver **120** dropped the message, no answered the message, or redirected the message to a user outside of the enterprise email system **100**.

15 However, the incoming email receiver **120** usually uses a workflow action to place the incoming mail message into a particular message queues. For example, the route, forward and track, and collaborate workflow actions all cause the incoming email receiver **120** to pass the incoming email message to an email message queue or mailbox in the email queuing and mailbox system **140** as illustrated in **Figure 1**. Furthermore, if no workflow action is invoked by the mail receiver **120**, then the mail receiver will place
20 the message into a generic message pool for messages that did not trigger a workflow action.

25 When the mail receiver **120** moves a message into an email queue or a mailbox, the incoming email receiver **120** places a pointer to the email message into the particular queue or mailbox. The actual email message remains in the email message database **130** and will be accessed as necessary using the pointer to the email message.

Routed messages

The route action simply moves an email message into one of the queues in the mailboxes or queues of the Email Queuing and Mailbox System **140**. A message placed in a queue will be given to a user that subscribes to the queue.

5

Forward and Track

Messages that handled by the forward and track action are forwarded to a user that does not use the enterprise mail system (outside user). However, when the message is forwarded, the reply address is sent to a special address that will cause any reply to be sent back to the enterprise email system **100**. Before the message is forwarded to the outside user, the enterprise mail system sets a timer. If no response message is received before the timer expires then the message is returned to the mailbox of the enterprise email system user who initiated the Forward and Track.

10

15

If a response is received, the enterprise email system will store the response email message sent by the outside user into the email database **130**. The response email message is then forwarded along to the sender of the original incoming message. The reply address of the response message sent to the sender of the original incoming message will also be set to a special address for the enterprise email system **100** such that any subsequent reply messages from the original message sender will again be handled by the enterprise email system **100**.

20

Collaborate

Messages that are handled by the Collaborate action are forwarded to a user who does not use the enterprise mail system. The enterprise email system sets a timer for the message is forwarded to the outside user. Furthermore, when the message is forwarded, the reply address is sent to a special address that will cause any reply to be sent back to the enterprise email system **100**. If no response is received from the outside user before the timer expires, then the message is returned to the mailbox of the enterprise mail user that initiated the collaborate action.

25

30

If a response is received from the outside user before the timer expires, the enterprise email system will store the response email message created by the outside user into the email database **130**. The original message is then placed back into one of the message queues such that the enterprise mail system user that initiated the collaboration can review the outside user's response before it is sent to the original incoming message sender. In this manner, the response message created by an outsider can be examined before the response email message is sent to the sender of the original incoming message.

Referring back to **Figure 1**, the queues in the Email Queuing and Mailbox System **140** are organized in a manner that helps the enterprise best respond to the messages. For example, queues may be organized to handle different categories of incoming message. Thus, similar categories of messages can be grouped in the same message queue. The details of the queuing system will be described in a later section. Message may also be placed directly into a particular user's mailbox. For example, if a certain mail user was supposed to receive all responses to a particular outgoing message, such associated response will be placed directly into that mail user's mailbox.

Each message queue is defined by a set of configurable parameters. The following table defines a set of parameters that can be used to describe a queue in one embodiment:

| Queue Parameter | Parameter function |
|------------------|--|
| Name | Descriptive name for the queue. |
| Description | Detailed description of the use of the queue. |
| Maximum Timeout | The maximum period of time that a message may remain in the queue before timing out. |
| Reroute To: | The queue or mailbox that messages should be routed to if the queue timer value expires. |
| Timeout Actions: | A set of actions that should be performed if the queue timer value expires. |
| Assigned Users | A list of enterprise mail system users assigned to the mail queue. |

As for most configurable parameters, a graphical interface is provided for entering and modifying the parameters in a preferred embodiment. **Figure 3** illustrates a graphical user interface for configuring the queue parameters. Note that a list of available users is display such that users can easily be assigned a subscription to the queue.

5

In one embodiment, the email queuing and mailbox system **140** includes multiple mail queues. The mail queues maybe separated based on varying subject matters (e.g., customer support, request for product/service literature, general comments) or any other system of mail queue organization. If the mail queues are organized into subject
10 matter, then the mail receiver rule of the incoming email receiver **120** can be used to examine and categorize new messages. The incoming email receiver **120** may then route the categorized messages to queues which corresponds to the subject matter of the respective messages.

15

In one embodiment, one or more users mail boxes of the email queuing and mailbox system **140** may subscribe to a particular queue (**151, 153, or 155**). When that user logs into the enterprise email system **100**, the email queuing and mailbox system **140** routes messages to the user's queue based upon the user's mail queue subscriptions. For example, all the customer support personnel of a company may subscribe to a queue
20 that receives messages relating to customer support matters. When each customer support representative logs in, the email queuing and mailbox system **140** will deliver a set of customer support messages to that users.

25

In addition, the queues may be linked to other queues. In one
embodiment, a priority system may be implemented by linking together queues wherein each queue may specify a configurable amount of time that may elapse before an "action" (e.g., a response to the message) needs to occur for a message stored within a queue. In one embodiment, the predetermined amount of time that a message may be held in a queue before "action" occurs is hereinafter referred to as a "queue timer."

30

Once a message's queue timer expires, a predetermined action is performed by the email queuing and mailbox system **140**. In one embodiment, the email message may be routed to another specified queue or user mailbox. The second queue may have a higher priority by indicating a shorter time out period allotted to messages place in the new queue. Other actions may also be specified. For example, in one embodiment, the email queuing and mailbox system **140** may generate an alert message that will be sent to a particular user's mail box. The alert message may indicate that action is required for the respective message which has not yet been handled by any enterprise email user.

Figure 4 illustrates a flow diagram that describes one embodiment of steps for routing messages among the queues and user mailboxes of the email queuing and mailbox system **140** of the enterprise email system **100**. In step **402**, a new message is routed to one of the mail queues based on a predetermined criterion. The messages are initially routed into a queue based on the mail receiver rules. The criterion for initially selecting an email message queue, however, may vary within the scope of the invention. Messages may subsequently be routed into different message queues depending on message categorization or direct routing commands from users of the enterprise email system **100**.

In step **404**, the email queuing and mailbox system **140** sets a queue timer for the new message. The queue timer defines a predetermined amount of time that the email message may stay in the queue without having the message expire. The queue timer for the new message immediately begins.

At step **406**, the queue timer is checked to see if the queue timer for the message has expired. If the queue timer has timed out, then the email queuing and mailbox system **140** proceeds to step **408**.

At step **408**, the Timeout Actions defined in the queue definition are performed. Furthermore, the message is moved to a new message queue as defined by the queue's "route to" parameter. If the email message is routed to another queue, then the method proceeds to step **404** where a new queue timer is assigned to the message for the message.

Referring back to step **406**, if the queue timer has not timed out, then the email queuing and mailbox system **140** proceeds to step **410**. At step **410**, the email queuing and mailbox system **140** determines if the message has been moved into a user's mail box. If the message has not been moved into a user's mailbox, then the method proceeds back to step **406** to check for a queue timeout. Otherwise, the method proceeds to step **412**.

At step **412**, the message has been moved into one of the user mailboxes. In one embodiment, as previously discussed, one or more users may subscribe to a queue such that messages from those queues are placed into their mailboxes. In addition, a user may also manually move a message from a queue without subscribing to the queue. Referring to step **412**, once a message has been moved into a user mailbox, the email queuing and mailbox system **140** creates a separate second timer for the message. The second timer is a mailbox timer that specifies how long the message has been in the user's mailbox. The mailbox timer immediately begins to lapse. Note that mailbox timer is separate from the queue timer. Moreover, in one embodiment, the queue timer and the user mailbox timer both continue to lapse simultaneously.

In step **414**, the email queuing and mailbox system **140** determines if the message has been acted upon. The action to stop a timer may vary within the scope of the invention. In one embodiment, the actions required to stop a message timer for a message within a user mailbox can include generating a response to the message, marking the message as requiring no response, releasing the message back to the mail queue from

which it came, or routing the message to a different mail queue. If the message within a user mailbox was responded to or no response is necessary, the method proceeds to step **416**. If a response was generated or the message required no response, the email queuing and mailbox system **140** deletes the queue timer and the mailbox timer for the message and the method proceeds to step 420, where additional actions on the message are not necessary from the perspective of the enterprise email system **100**. . In step **417**, if the message was been released back to the mail queue from which it came the mailbox timer is deleted and method proceeds to step **406**. Finally, if the message was routed to a different mail queue as stated in step 419, then both the queue timer and mailbox timer are deleted and the method proceeds to step **404**.

Referring back to step **414**, if the message has not been acted upon then the method proceeds to step **418** where the email queuing and mailbox system **140** determines if the mailbox timer for the message has expired. If the mailbox timer has not expired, the message continues to reside in the respective user mailbox and the method proceeds back to step **414**.

Conversely, if the mailbox timer has expired in step **418** then the method proceeds to step **422**. In step **422**, the email queuing and mailbox system **140** removes the message from the user's mailbox and returns the email message back to the queue from which the email message was obtained.

The method then proceeds back to step **406** where the email queuing and mailbox system **140** determines if the queue timer has yet expired. If the queue timer has not expired, the message continues to reside in the respective queue until the message is moved into a user mailbox or the queue timer expires. If the queue timer for the message has expired then the method proceed to step **408** where the message is routed to a separate queue and the queue timeout actions are invoked.

User Message Reading and Responding.

A number of enterprise email system users process the email moved into the Email Queuing and Mailbox System **140**. Each enterprise mail system user has an account with the enterprise email system **100**. The enterprise mail system users are listed in the mail user database **137**.

The following list defines a set of parameters that define an enterprise mail system user account:

| User Account Parameter | Parameter use |
|------------------------|--|
| Name | The user's full name. |
| Password | The password used to access the user account. |
| Description | The title of the user such as "Customer Service Representative" or Sales Person" |
| Admin Function level | A standard operator level allows the user to perform functions to respond to messages. An administrative level allows the user to configure parameters that control the enterprise email system. |
| Vacation Mode | Specifies if the user is on vacation, and if so which queue or mailbox should be used to handle this users email if the user is on vacation. |
| Queues | Defines a set of queues that the user is assigned to. |

To simplify the task of creating users, the enterprise email system **100** provides a graphical user interface for entering and modifying user parameters. **Figure 5** illustrates one possible embodiment of a graphical user interface for entering and modifying user parameters.

Before a user at a console (for this example we will refer to console **171** in **Figure 1**) begins using the enterprise email system **100**, the user must log into the enterprise email system **100** from his/her workstation **171**. The login procedure informs

the enterprise email system **100** that a new active user is available. The enterprise email system **100** responds to the new user login by sending a batch of messages from queues to which the new user subscribes into the user's mail box (for this example we will refer to mailbox **161**).

5

The enterprise email system **100** has an idle user log-out feature. The idle user log-out feature automatically logs out a user that has been inactive for a configurable time period. By automatically logging out an inactive user, the incoming email messages in that user's mailbox are returned to the queue from which they came.

10

The enterprise email system **100** then generates a main display screen on the user's console **171** that displays some of the email in the user's mailbox. **Figure 6** illustrates one possible embodiment of a main display screen. The main display screen lists a few of the messages that have been placed into the user's mailbox. (The user may have other email messages in his mailbox that are not currently displayed on the screen.) One of the messages that is currently selected is displayed at the bottom of the screen.

15

In the main user display screen of **Figure 6**, a number of actions are listed above the list of email messages. The enterprise email user uses the listed actions for processing messages. The available user actions for the embodiment of **Figure 6** are listed in the following table along with the action that will be performed if the action is selected:

20

| Action button | Action performed |
|----------------|---|
| More | Fetch more messages from a queue into the user's mailbox. |
| New | Create a new outgoing message. |
| Find | Allows the user to find messages in the email database 130. |
| Sender History | Obtain a history of all messages sent from this sender. |
| View Source | Examine the full raw SMTP message. |

| | |
|-----------------------------|---|
| Note | Attach a note to this message. |
| Print | Print the message. |
| NoAnswer | Remove the message from the mailbox without responding. (The message remains in the email database 130 .) |
| Route | Route the message to another user or queue. |
| Send | Send the created response message to the original message sender. |
| Categorize | Add a category to the incoming email message. (This is analogous to the mail receiver adding a category to an incoming email message) |
| <message sender or subject> | Create a response message to be sent to the user. |

Again, many of the actions are the same actions that are in the mail receiver **120** rule set and the category entries. However, some of the actions not yet described will be presented in greater detail

5

The "find" command allows the enterprise email user to search the email database **130** using a structured query. For example, an enterprise email user may find messages from a certain person, messages containing a particular word or phrase, messages associated with a case, messages in the same category, messages answered by the enterprise mail user, or unanswered messages anywhere or in a particular queue. The related command "Sender History" provides the enterprise email system user with a list of messages sent from the same sender. In this manner the enterprise email user may obtain some background on the user's earlier problems.

10

15

The "note" command allows an enterprise email user to attach a note to a particular message. The note will be placed into the email database **130** such that other enterprise email users that subsequently view the message will see the note.

The route command allows a user to route a message to another email user or another queue. As noted in the earlier sections, sending an email message to another user will not stop the queue timer value for the message. However, when a message is routed to a different queue, the original queue timer value is cleared and a new queue timer value is created for the message in the new queue. Routing to either another email user or another queue will clear the mailbox timer value since the message no longer exists in the user's mailbox.

To create a response message, the user simply selects the sender's name or the message's subject. In response to selecting the sender's name or the message's subject, the enterprise email system will display a response message screen as illustrate in **Figure 7**. The response message may be filled in with a "skeleton" message that was created by the incoming mail receiver **120**.

Referring to the top of **Figure 7**, the user can select and add recipients for the response message, add categories to the incoming message, and add attachments to the response message being created. Furthermore, the user may enter a subject title for the response message.

Figure 7 illustrates a list of four "standard phrase" selectors below the subject field. The standard phrases allow the enterprise email user to quickly enter standard phrases that are placed into email messages. Each standard phrase consists of a string that may include fields from the email database **130** such as <recipient> that designates the recipient's name. In one embodiment, there are four standard phrase fields: Greetings, Body Headers, Body Footers, and Signatures. Greeting consists of

introductory salutations such as "Dear <recipient>" or "Hello." Body Headers provide an introductory sentence "Thank you for your interest in our company." Body Footers provide a closing sentence such as "If we can be of further assistance, don't hesitate to write." Signatures provide a standard signature to be used such as "Sincerely, Your

5 Customer Service Representative." Each user can maintain his/her own set of individual standard phrases such that the proper standard phrase can be selected from the list. Furthermore, the user can designate a default standard phrase to be used if no standard phrase is selected. The default may be <No Greeting> as illustrated in **Figure 7** which specifies that no standard phase should be used for that body element.

10

Finally, the bottom of **Figure 7** illustrates the incoming email message and the response message that is being created. To send a message, the enterprise email user selects the "send" command.

15

To forward and track a message to an outside user so that the outside user handle the message, the user creates a response message and then opens up the recipient dialog box. A number of recipients will be displayed as illustrated in **Figure 8**. The user selects an outside person (a person that does not use the enterprise mail system) from the address list and then selects the "Forward" button. When the outside user responds to the

20 message, the response will be received by the enterprise email system **100** such that the response message will be placed into the email database **130**. The enterprise email system **100** then passes the response message created by the outside user to the original message sender.

Figure 9 illustrates in detail how the forward and track system operates.

First, a customer **991** sends a message that is placed into the queuing system **140** of the enterprise email system **100** in step **910**. At step **920**, the incoming email message is eventually passed to the enterprise email user **992**. The enterprise email user **992** passes the message on to outside consultant **993** using the forward and track feature at step **930**. The consultant **993** drafts a reply and the reply is sent back to the enterprise email system **100** at step **940**. The enterprise email system **100** stores the response in the email database **130** and passes the response to the customer **991** at step **950**.

To collaborate on a message with an outside user, the user creates a response message but then opens up the recipient dialog box. A number of recipients will be displayed as illustrated in **Figure 8**. The user selects a person from the address list and then selects the "Collaborate" button. When the collaborator responds, the collaborator's proposed response will be send back to this user. **Figure 10** illustrates in detail how the forward and track system operates.

First, a customer **1001** sends a message that is placed into the queuing system **140** of the enterprise email system **100** in step **1010**. At step **1020**, the incoming email message is eventually passed to the enterprise email user **1002**. The enterprise email user **1002** passes the message on to outside consultant **1003** using the collaborate feature at step **1030**. The consultant **1003** drafts a proposed response and the proposed response is sent back to the enterprise email system **100** at step **1040**. The enterprise email system **100** stores the proposed response in the email database **130** and places the proposed response into the mailbox of enterprise email user **1002**. Eventually, the enterprise email user **1002** retrieves and reviews the proposed response at step **1050**. If

the enterprise email user **1002** approves of the proposed response, the proposed response is sent to the customer **1001** at step **1060**. Alternatively, the enterprise email user **1002** may further edit the response before sending it to the customer.

5 To redirect a message to an outside user to have the outside user handle the message, the user creates a response message but then opens up the recipient dialog box and redirects the message to the user as set forth above and illustrated in **Figure 8**. Note that a redirected message maintains the original headers so the outside user can respond directly to the original sender. A redirected message is no longer tracked by the
10 enterprise email system **100**.

 The foregoing has described an enterprise email management system. It is contemplated that changes and modifications may be made by one of ordinary skill in the art, to the materials and arrangements of elements of the present invention without
15 departing from the scope of the invention.

CLAIMS

We claim:

1 1. A method for processing electronic messages, said method comprising:
2 receiving a message in an enterprise mail system, said message from a message
3 sender;
4 categorizing said message by selecting a first category entry from a category
5 database; and
6 creating a response message using said first category entry, said response message
7 including a response body defined in said first category entry and a set of
8 recipients defined in said first category entry.

1 2. The method of claim 1 wherein said recipient comprises a carbon copy
2 recipient.

1 3. The method of claim 1 wherein said recipient comprises a blind carbon
2 copy recipient.

1 4. A method for processing electronic messages, said method comprising:
2 receiving a first message into an enterprise mail system, said first message from a
3 first message sender;
4 storing said first message in a message database;

5 assigning a category entry from a category database; and
6 delivering said first message to a first enterprise mail system user, said enterprise
7 mail system user creating a template response message with said category
8 entry.

1 5. The method of claim 4 wherein assigning a category entry from a category
2 database is performed by a rule processor.

1 6. The method of claim 4 wherein assigning a category entry from a category
2 database is performed by said enterprise mail system user.

1 7. The method of claim 4 further comprising:
2 providing a set of default message body sections for said response message.

1 8. The method of claim 7 wherein one of said set of default message body
2 sections comprises a salutation.

1 9. The method of claim 7 wherein one of said set of default message body
2 sections comprises a body header.


1 10. The method of claim 7 wherein one of said set of default message body
2 sections comprises a closing.

1 11. The method of claim 7 wherein one of said set of default message body
2 sections comprises a footer.
3



Abstract of the Disclosure

An enterprise email management system is disclosed. The enterprise mail system is designed to handle large volumes of email quickly and efficiently, responding through enterprise email system users or automated means. The enterprise email system processes incoming email using a set of configurable rules that examine each message for a specific attribute state condition and invoke a configurable action when the attribute satisfies the condition. A number of actions may be invoked such as routing a message to a specific mail queue. The enterprise email system assigns a mail queue timer when a message is moved into a mail queue. Each mail queue has a different mail queue timeout value that specifies the maximum amount of time that a message may sit idle within a mail queue. The enterprise email system may automatically move a message from a mail queue into a mailbox of an enterprise email system user that subscribed to the mail queue. A mailbox timer then set for the message and the mailbox timer is compared with a mailbox timeout value that specifies the amount of time that message may sit idle within a mail queue. If the mail queue timer expires, the message is returned to the mail queue from where it came.. If the mail queue timer expires, then the message is routed to another mail queue or enterprise email user.

Figure 1



Attributes

| Attribute | Condition | Value |
|--|-----------|----------|
|  sendEmailAddress | contains | elena |
|  subject | contains | redirect |

New

Actions

| Action | Value |
|----------|-----------------|
| redirect | ronald@kana.com |


New

OK

Cancel

Help

FIG. 2A



Save Cancel Save & New Delete Spell Check

Category Entry

Name: Job Inquiries

Hot Key: job

Description:

Template Text: Thank you for contacting us about employment. We will be getting back to you shortly.

Parent Category: root

☐ Keep Thread Ownership

☐ Include Incoming Attachments

Recipients View Delete


Attachments View Delete

To: (Original Sender)

To: (Minimal Sender)

FIG. 2B

65/77-666760



Save Cancel Save & New Delete

Queue Entry

Name:

Description:

Timeout: minutes

Reroute To:

Users

add

add

administrator

alex broquet

Amanda Sullivan

Amie Levin

Andy Gicezo

Brian Davis

Chris Chalmers

Chris Noble

Assigned Users


Mark Gaine


Peter Smith

Sam Salesman

FIG. 3

Figure 4





SaveCancelSave & NewDeleteSpellCheck

User Entry

Name:New user

Password:

Confirm Password:

Description:

☒ Allow Administrative Functions

☐ Vacation Mode - Mail is routed to: administrator

Queues

Assigned Queues

FIG. 5

MoreNewFindSender HistoryView SourceNotePrintNo AnswerRouteSendCategorize

Mailbox for Lana Bryan (10 messages)

| | From | Subject | Date | Case |
|-------------------------------------|---------------|-----------------------|----------------------|-------|
| <input type="checkbox"/> | Mike Sherman | Hedra Fund Investment | 10/09/98 12:28:12 AM | 43703 |
| <input checked="" type="checkbox"/> | Chris Donahue | help | 10/09/98 12:28:13 AM | 43704 |
| <input type="checkbox"/> | Teddy Nicolau | Latest software rev | 10/09/98 12:28:14 AM | 43705 |
| <input type="checkbox"/> | Teddy Nicolau | Job opportunities? | 10/09/98 12:28:15 AM | 43705 |

Incoming MessageSender History: 6

From: Chris Donahue <cdon@mail.kana.com> via General pool
To: cms3@kana.com
Date: 10/09/98 12:28:13 AM
Subject: help

Dear Acme -- I recently purchased an Air-Blaster 3000 leaf blower, and for some reason can't get it to start. I have looked through all the troubleshooting in the manual, but nothing has helped. The engine turns over a couple times, but then stops. Do you have any suggestions?

Thanks for your help.

Chris Donahue

FIG. 6




FIG. 7




FIG. 8

Figure 9





Figure 10



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

Method and Apparatus for Performing Enterprise Email Management

the specification of which

XX is attached hereto.
_____ was filed on _____ as
United States Application Number _____
or PCT International Application Number _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above. I do not know and do not believe that the claimed invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (for a utility patent application) or six months (for a design patent application) prior to this application.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority
Claimed

| | | | | |
|-------------------|--------------------|---------------------------------|------------|-----------|
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | <u>Yes</u> | <u>No</u> |
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | <u>Yes</u> | <u>No</u> |
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | <u>Yes</u> | <u>No</u> |

I hereby claim the benefit under title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below

| | |
|-------------------------------|----------------------|
| _____ (Application Number) | _____ Filing Date |
| _____ (Application Number) | _____ Filing Date |

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

| | | |
|-------------------------------|----------------------|--|
| _____ (Application Number) | _____ Filing Date | _____ (Status -- patented, pending, abandoned) |
| _____ (Application Number) | _____ Filing Date | _____ (Status -- patented, pending, abandoned) |

I hereby appoint Farzad E. Amini, Reg. No. P42,261; Aloysius T. C. AuYeung, Reg. No. 35,432; Amy M. Armstrong, Reg. No. P42,265; William Thomas Babbitt, Reg. No. 39,591; Carol F. Barry, Reg. No. P41,600; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Bereznak, Reg. No. 33,474; Michael A. Bernadicou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Kent M. Chen, Reg. No. 39,630; Lawrence M. Cho, Reg. No. 39,942; Yong S. Choi, Reg. No. P43,324; Thomas M. Coester, Reg. No. 39,637; Roland B. Cortes, Reg. No. 39,152; Barbara Bokanov Courtney, Reg. No. P42,442; Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,813; Robert Andrew Diehl, Reg. No. 40,992; Tarek N. Fahmi, Reg. No. 41,402; James Y. Go, Reg. No. 40,621; Richard Leon Gregory, Jr., P42,607; Dinu Gruia, Reg. No. P42,996; David R. Halvorson, Reg. No. 33,395; Thomas A. Hassing, Reg. No. 36,159; Phuong-Quan Hoang, P41,839; Willmore F. Holbrow III, Reg. No. P41,845; George W. Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; Dag H. Johansen, Reg. No. 36,172; William W. Kidd, Reg. No. 31,772; Tim L. Kitchen, Reg. No. P41,900; Michael J. Mallie, Reg. No. 36,591; Andre L. Marais, under 37 C.F.R. § 10.9(b); Paul A. Mendonsa, Reg. No. P42,879; Darren J. Milliken, P42,004; Thinh V. Nguyen, P42,034; Kimberley G. Nobles, Reg. No. 38,255; Michael A. Proksch, Reg. No. P43,021; Babak Redjaian, P42,096; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,018; James C. Scheller, Reg. No. 31,195; Anand Sethuraman, Reg. No. P43,351; Charles E. Shemwell, Reg. No. 40,171; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Allan T. Sponseller, Reg. No. 38,318; Geoffrey T. Staniford, P43,151; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. P42,179; Edwin H. Taylor, Reg. No. 25,129; George G. C. Tseng, Reg. No. 41,355; Lester J. Vincent, Reg. No. 31,460; John Patrick Ward, Reg. No. 40,216; Stephen Warhola, Reg. No. P43,237; Ben J. Yorks, Reg. No. 33,609; and Norman Zafman, Reg. No. 26,250; my attorneys, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025, telephone (310) 207-3800, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Full Name of Sole/First Inventor Mark Gainey

Inventor's Signature _____ Date _____

Residence _____ (City, State) _____ Citizenship _____ (Country)

Post Office Address _____

Full Name of Second/Joint Inventor Alex Broquet

Inventor's Signature _____ Date _____

Residence _____ Citizenship _____
(City, State) (Country)

Post Office Address _____

Full Name of Third/Joint Inventor Michael Horvath

Inventor's Signature _____ Date _____

Residence _____ Citizenship _____
(City, State) (Country)

Post Office Address _____

Title 37, Code of Federal Regulations, Section 1.56
Duty to Disclose Information Material to Patentability

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
 - (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
 - (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) Each inventor named in the application;
 - (2) Each attorney or agent who prepares or prosecutes the application; and
 - (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.